

NATIONAL HEALTH MISSION, MIZORAM**FACILITY WISE
ESSENTIAL DRUG LIST**

2020

| INDEX | PAGE |
|--|--------------|
| 1. District/Sub District Hospital | 2-6 |
| 2. CHC/PHC | 7-9 |
| 3. Sub Centre | 10-11 |

ESSENTIAL DRUGS FOR DISTRICT/ SUB DISTRICT HOSPITAL, NHM MIZORAM

| S/No | Name of Drug | Level of care in NLEM | Dosage Type |
|---|-----------------------------------|-----------------------|----------------------------|
| General Anesthetic and Oxygen | | | |
| 1 | Isoflurane | S,T | Inhalation |
| 2 | Ketamine | P,S,T | Injection 50 mg/ml |
| 3 | Nitrous oxide | P,S,T | Inhalation |
| 4 | Oxygen | P,S,T | Inhalation (Medicinal gas) |
| 5 | Propofol | P,S,T | Injection 10 mg/ml |
| Local anaesthetics | | | |
| 6 | Lignocaine | P,S,T | Topical forms 2-5% |
| 7 | | | Injection 1%,2% |
| Pre-operative medication and sedation for short term procedures | | | |
| 8 | Atropine | P,S,T | Injection 1 mg/ml |
| 9 | Glycopyrrolate | S,T | Injection 0.2 mg/ml |
| 10 | Midazolam | P,S,T | Injection 5 mg/ml |
| 11 | Morphine | P,S,T | Injection 10 mg/ml |
| Analgesics, anti pyretics, non steroidal anti inflammatory medicines | | | |
| 12 | Diclofenac | P,S,T | Tablet 50 mg |
| 13 | | | Injection 25 mg/ml |
| 14 | Ibuprofen | P,S,T | Tablet 200 mg |
| 15 | | | Tablet 400 mg |
| 16 | Paracetamol | P,S,T | Tablet 500 mg |
| 17 | | | Syr 125mg/ml |
| 18 | | | Injection 150 mg/ml |
| 19 | Tramadol | P,S,T | Capsule 50 mg |
| 20 | | | Injection 50 mg/ml |
| Anti-allergic and medicines used in anaphylaxis | | | |
| 21 | Adrenaline | P,S,T | Injection 1 mg/ml |
| 22 | Cetirizine | P,S,T | Tablet 10 mg |
| 23 | | | Oral liquid 5 mg/5 ml |
| 24 | Dexamethasone | P,S,T | Tablet 0.5 mg |
| 25 | | | Injection 4 mg/ml |
| 26 | Hydrocortisone | P,S,T | Powder for |
| 27 | | | Injection 100 mg |
| 28 | Pheniramine | P,S,T | Injection 22.75 mg/ml |
| Antidotes and other substances used in poisoning | | | |
| 29 | Activated charcoal | P,S,T | Powder (as licensed) |
| 30 | Calcium gluconate | P,S,T | Injection 100 mg/ml |
| 31 | Naloxone | P,S,T | Injection 0.4 mg/ml |
| 32 | Neostigmine | P,S,T | Injection 0.5 mg/ml |
| 33 | Snake venom antiserum a) Soluble/ | P,S,T | a) Injection |
| | | | b) Powder for Injection |

| | | | |
|---|---|-------|---|
| | liquidpolyvalent b) Lyophilizedpolyvalent | | |
| Anticonvulsants/ Anti-epileptics | | | |
| 34 | Magnesium sulphate | S,T | Injection 500 mg/ml |
| 35 | Phenobarbitone | S,T | Tablet 30 mg |
| 36 | | | Oral liquid 20 mg/5 ml |
| 37 | | | Injection 200 mg/ml |
| 38 | Phenytoin | P,S,T | Tablet 100 mg |
| Intestinal Anti-helminthics | | | |
| 39 | Albendazole | P,S,T | Tablet 400 mg |
| 40 | | | Oral liquid 200 mg/5ml |
| Antibacterial | | | |
| 41 | Amoxicillin (A) + Clavulanic acid (B) | P,S,T | Tablet 500 mg (A)+125mg (B) |
| 42 | | | Dry Syrup 125 mg (A) + 31.25 (B)/5 ml |
| 43 | | S,T | Powder for Injection 1 g (A) + 200mg (B) |
| 44 | | | Powder for Injection 500mg(A) +100mg(B) |
| 45 | Ampicillin | P,S,T | Powder for Injection 500 mg |
| 46 | | | Powder for Injection 1 g |
| 47 | Benzathine benzylpenicillin | | Powder for injection 6 lacs unit |
| 48 | Cefixime | S,T | Tablet 200mg |
| 49 | | | Oral liquid 50mg/5ml |
| 50 | Ceftriaxone | S,T | Powder for Injection 250 mg |
| 51 | | | Powder for Injection 1 g |
| 52 | Azithromycin | P,S,T | Tablet 250 mg |
| 53 | | | Oral liquid 200 mg/5ml |
| 54 | | | Powder for Injection 500 mg |
| 55 | Ciprofloxacin | P,S,T | Tablet 250 mg |
| 56 | | | Oral liquid 250 mg/5ml |
| 57 | | | Injection 200 mg/100 ml |
| 58 | Co-trimoxazole | P,S,T | Tablet 400 mg(A)+80mg(B) |
| 59 | [Sulphamethoxazole (A) + Trimethoprim (B)] | | Oral liquid 200 mg (A) + 40 mg(B)/5ml |
| 60 | Erythromycin | P,S,T | Tablet 500mg |
| 61 | Doxycycline | P,S,T | Capsule 100 mg |
| 62 | Gentamicin | | Injection 40 mg/ml |
| 63 | Metronidazole | P,S,T | Tablet 400 mg |
| 64 | | | Oral liquid 200 mg/5 ml |
| 65 | | | Injection 500 mg/100 ml |
| Antifungal medicines | | | |
| 66 | Clotrimazole | P,S,T | Pessary 100 mg |
| 67 | Fluconazole | P,S,T | Tablet 150 mg |

| Antiviral medicines | | | |
|--------------------------------------|--|-------|---|
| 68 | Acyclovir | P,S,T | Tablet 200 mg |
| Antimalarials | | | |
| 69 | ACT-AL | P,S,T | 6mths-3 yrs |
| 70 | | | 3 yrs- 8 yrs |
| 71 | | | 9 yrs-14 yrs |
| 72 | | | 14 yrs and above |
| 73 | Artesunate | P,S,T | Powder for Injection 60 mg |
| 74 | Chloroquine | P,S,T | Tablet 150 mg |
| 75 | | | Oral liquid 50 mg/5 ml |
| 76 | Primaquine | P,S,T | Tablet 2.5 mg |
| 77 | | | Tablet 7.5 mg |
| 78 | Quinine | P,S,T | Tablet 300 mg |
| 79 | | | Injection 300 mg/ml |
| Anti-anaemic medicines | | | |
| 80 | Ferrous salt (A) + Folic acid (B) | P,S,T | Tablet 100 mg elemental iron (A)+500 mcg (B) |
| 81 | Folic acid | P,S,T | Tablet 5 mg |
| 82 | Phytomenadione (Vitamin K1) | P,S,T | Injection 10 mg/ml |
| 83 | Iron Sucrose | S,T | Injection 100mg/5ml |
| Antihypertensive medicines | | | |
| 84 | Amlodipine | P,S,T | Tablet 5mg |
| 85 | Telmisertan | P,S,T | Tablet 40mg |
| 86 | Noradrinaline | P,S,T | Injection 2mg/ml |
| 87 | Furosemide | P,S,T | Injection 10mg/ml |
| 88 | | | Tablet 40mg/ml |
| 89 | Labetalol | P,S,T | Injection 5 mg/ml |
| 90 | | | Tablet 100mg |
| Dermatological medicines | | | |
| 91 | Clotrimazole | P,S,T | Cream 1% |
| 92 | Methylrosanilinium Chloride (Gentian Violet) | P,S,T | Topical preparation 0.25% to 2% |
| 93 | Povidone iodine | P,S,T | Solution 10% |
| 94 | Silver sulphadiazine | P,S,T | Cream 1% |
| 95 | Betamethasone | | Cream 0.1% |
| Scabicides and pediculicides | | | |
| 96 | Permethrin | P,S,T | Lotion 1% |
| 97 | | | Cream 5% |
| Disinfectants and antiseptics | | | |
| 98 | Ethyl alcohol(Denatured) | P,S,T | Solution 70% |
| 99 | Hydrogen peroxide | P,S,T | Solution 6% |
| 100 | Bleaching powder | P,S,T | Containing not less than 30% w/w of available chlorine (as per I.P) |
| Diuretics | | | |

| | | | |
|---------------------------------------|--|-------|--|
| 101 | Mannitol | P,S,T | Injection 20% |
| 102 | Spirolactone | P,S,T | Tablet 25 mg |
| Ear, nose and throat medicines | | | |
| 103 | Ciprofloxacin | P,S,T | Drops 0.3 % |
| 104 | Clotrimazole | P,S,T | Drops 1% |
| Gastrointestinal medicines | | | |
| 105 | Omeprazole | P,S,T | Capsule 20 mg |
| 106 | Pantoprazole | S,T | Injection 40 mg |
| 107 | Ondansetron | S,T | Tablet 4 mg |
| 108 | | | Oral liquid 2 mg/5 ml |
| 109 | | | Injection 2 mg/ml |
| 110 | Oral rehydration salts | P,S,T | As licensed |
| 111 | Zinc sulphate | P,S,T | Dispersible Tablet 20 mg |
| Mental Health medicines | | | |
| 112 | Diazepam | T | Injection 10 mg/2 ml |
| 113 | Clonazepam | T | Tablet 0.5mg |
| 114 | Haloperidol | T | Injection 5mg/ml |
| 115 | Promethazine | T | Injection 25mg/ml |
| 116 | Fluoxetine | T | Capsule 20mg |
| 117 | Risperidone | T | Tablets 2 mg |
| 118 | Trihexyphenydl | T | Tablet 2mg |
| Hormones/Contraceptives | | | |
| 119 | Combined oral contraceptive | P,S,T | |
| 120 | Progesterone only pill | P,S,T | |
| 121 | Centchroman-Chhaya | P,S,T | |
| 122 | Emergency contraceptive pill | P,S,T | |
| 123 | DMPA(Depot Medrony Progesterone Acetate) | S,T | Injection |
| 124 | IUD containing Copper | P,S,T | As licensed |
| 125 | Condom | P,S,T | As per the standards prescribed in Schedule R of Drugs and Cosmetics rules, 1945 |
| Diabetes mellitus | | | |
| 126 | Glimepiride | | Tablet 2 mg |
| 127 | Metformine | | Tablet 5 mg |
| 128 | Insuline (soluble) | | Injection 40 IU/ml |
| 129 | Glucose | | Injection 25% |
| Anti-infective medicine | | | |
| 130 | Acyclovir | P,S,T | Ointment 3% |
| 131 | Ciprofloxacin | P,S,T | Drops 0.3 % |
| 132 | | | Ointment 0.3% |

| | | | |
|---|--|-------|---|
| 133 | Gentamicin | P,S,T | Drops 0.3% |
| 134 | Neosporin – H | | Ointment |
| Mydriatics | | | |
| 135 | Atropine | P,S,T | Drops 1% |
| 136 | | | Ointment 1% |
| 137 | Phenylephrine | P,S,T | Drops 5% |
| 138 | | | Drops 10 % |
| Oxytocics and Antioxytocics | | | |
| 139 | Mifepristone | T | Tablet 200 mg |
| 140 | Misoprostol | T | Tablet 100 mcg |
| 141 | | | Tablet 200 mcg |
| 142 | Oxytocin | S,T | Injection 5 IU/ml |
| Medicines acting on the respiratory tract | | | |
| 143 | Salbutamol | P,S,T | Tablet 2 mg |
| 144 | | | Oral liquid 2 mg/5 ml |
| 145 | | | Respirator solution for use in nebulizer 5mg/ml |
| Solutions correcting water, electrolyte disturbances | | | |
| 146 | Glucose | P,S,T | Injection 5% |
| 147 | | P,S,T | Injection 10% |
| 148 | | P,S,T | Injection 25% |
| 149 | Glucose (A) + Sodium chloride(B) | P,S,T | Injection 5% (A) + 0.9% (B) L |
| 150 | Potassium chloride | P,S,T | Injection 150 mg/ml |
| 151 | | | Oral liquid 500 mg/5 ml |
| 152 | Ringer lactate | P,S,T | Injection (as per IP) |
| 153 | Sodium bicarbonate | P,S,T | Injection (as per IP) |
| Vitamins and minerals | | | |
| 154 | Calcium Carbonate | | Tablet 500 mg |
| 155 | Cholecalciferol | P,S,T | Tablet 1000 IU |
| 156 | | | Tablet 60000 IU |
| 157 | | | Oral liquid 400 IU/ml |
| 158 | Nicotinamide | P,S,T | Tablet 50 mg |
| 159 | Pyridoxine | | Tablet 100 mg |
| 160 | Riboflavin | P,S,T | Tablet 5 mg |
| 161 | Thiamine | P,S,T | Tablet 100 mg |
| 162 | | | Injection 100 mg/ml |
| 163 | Vitamine 'A' | | Capsule 100000 IU |
| 164 | | | Oral liquid 100000 IU/ml |
| OTHERS | | | |
| 165 | Haemodialysis fluid (Dialysis solutions) | S,T | As licensed |
| 166 | Intraperitoneal dialysis solution | S,T | As licensed |

**ESSENTIAL DRUGS FOR COMMUNITY HEALTH CENTRE/ PRIMARY HEALTH CENTRE,
NHM, MIZORAM**

| SL.NO | NAME OF DRUG | LEVEL OF CARE IN NLEM | DOSAGE TYPE |
|---|---|-----------------------|---|
| Local Anaesthetics | | | |
| 1 | Lignocaine | P,S,T | Topical forms 2% |
| 2 | | | Injection 1% 2% |
| Analgesics, anti pyretics, non steroidal anti inflammatory medicines | | | |
| 3 | Diclofenac | P,S,T | Tablet 50mg |
| 4 | | | Injection 25mg/ml |
| 5 | Paracetamol | P,S,T | Syrup 125mg/ml |
| 6 | Tramadol | | Injection 50mg/ml |
| Anti allergic and medicines used in anaphylaxis | | | |
| 7 | Ceterizine | P,S,T | Tablet 10mg |
| 8 | | | Oral liquid 5mg/5ml |
| 9 | Dexamethasone | P,S,T | Injection 4mg/ml |
| Antidotes and other substances used in poisoning | | | |
| 10 | Activated charcoal | P,S,T | Powder (as licensed) |
| 11 | Snake venom (a) antiserum (b) lyophilized polyvalent | P,S,T | a) Injection b) Powder for injection |
| Anticonvulsants/antiepileptics | | | |
| 12 | Phenytoin | P,S,T | Injection 100mg/ml |
| Intestinal anti helminthics | | | |
| 13 | Albendazole | P,S,T | Tablet 400mg |
| 14 | | | Oral liquid 200mg/5ml |
| Antibacterial | | | |
| 15 | Amoxicillin | P,S,T | Capsule 250mg |
| 16 | | | Capsule 500mg |
| 17 | | | Oral liquid 125mg/5ml |
| 18 | Ampicillin | P,S,T | Powder for injection 500mg |
| 19 | Cefixime | P,S,T | Oral liquid 50mg/5ml |
| 20 | | | Tablet 200mg |
| 21 | Ceftriaxone | P,S,T | Powder for injection 250mg |
| 22 | | | Powder for injection 1gm |
| 23 | Azithromycin | P,S,T | Tablet 250mg |
| 24 | | | Oral liquid 200mg/5ml |
| 25 | Ciprofloxacin | P,S,T | Tablet 250mg |
| 26 | Cotrimoxazole | P,S,T | Tablet 400mg (A) + 80mg (B) |
| 27 | [Sulphamethoxazole (A) + Trimethoprim (B)] | | Oral liquid 200mg (A) + 40mg (B)/5ml |
| 28 | Doxycycline | P,S,T | Tablet 100mg |
| 29 | Gentamicin | P,S,T | Injection 40mg/ml |
| 30 | Metronidazole | P,S,T | Tablet 400mg |
| 31 | | | Injection 500mg/100ml |

| | | | |
|---|----------------------------------|-------|---|
| 32 | | | Oral liquid 200mg/5ml |
| Antifungal medicines | | | |
| 33 | Fluconazole | P,S,T | |
| Antimalarial drugs Tablet 150mg | | | |
| 34 | ACT-AL | P,S,T | 6 months-3 years |
| 35 | | | 3 years-8 years |
| 36 | | | 9 years -14 years |
| 37 | | | 14 years and above |
| 38 | Artesunate | P,S,T | Powder for injection 60mg |
| 39 | Chloroquin | P,S,T | Tablet 150mg |
| 40 | | | Oral liquid 50mg/5ml |
| 41 | Primaquin | P,S,T | Tablet 2.5mg |
| 42 | | | Tablet 7.5mg |
| 43 | Quinine | P,S,T | Tablet 300mg |
| 44 | | | Injection 300mg/ml |
| Antianaemia medicines | | | |
| 45 | Ferrous salt (A)+Folic acid (B) | P,S,T | Tablet 100mg elemental iron (A)+ 500mcg(B) |
| 46 | Folic acid | P,S,T | Tablet 5mg |
| 47 | Phytomenadione (Vitamin K1) | P,S,T | Injection 10mg/ml |
| 48 | Iron Sucrose | S, T | Injection 100mg/5ml |
| Antihypertensive medicines | | | |
| 49 | Amlodipine | P,S,T | Tablet 5mg |
| Dermatological medicines | | | |
| 50 | Povidone Iodine | P,S,T | Solution 10% |
| 51 | Silver sulphadiazine | P,S,T | Cream 1% |
| Scabicides and pediculicides | | | |
| 52 | Permethrin | P,S,T | Cream 5% |
| Disinfectants and antiseptics | | | |
| 53 | Ethyl alcohol (Denatured) | P,S,T | Solution 70% |
| 54 | Hydrogen poroxide | P,S,T | Solution 6% |
| 55 | Bleaching powder | P,S,T | Containing not less than 30% w/w of available chlorine (as per I.P) |
| Diuretics | | | |
| 56 | Furosemide | P,S,T | Injection 10mg/ml |
| Gastrointestinal medicines | | | |
| 57 | Ondansetron | S,T | Oral liquid 2mg/5ml |
| 58 | | | Injection 2mg/ml |
| 59 | Oral rehydration salts | P,S,T | As licensed |
| 60 | Zinc sulphate | P,S,T | Dispersible tablet 20mg |
| Solutions correcting water, electrolyte disturbances | | | |
| 61 | Glucose (A)+ Sodium chloride (B) | P,S,T | Injection 5% (A)=0.9% (B) L |
| 62 | Potassium chloride | P,S,T | Injection 150mg/ml |

| | | | |
|------------------------------------|--|-------|--|
| 63 | | | Oral liquid 500mg/5ml |
| 64 | Ringer Lactate | P,S,T | Injection (as per IP) |
| 65 | Sodium bicarbonate | P,S,T | Injection (as per IP) |
| 66 | Sodium Chloride | P,S,T | Injection 0.9% |
| Vitamins and minerals | | | |
| 67 | Calcium carbonate | P,S,T | Tablet 500mg |
| 68 | Thiamine | P,S,T | Tablet 100mg |
| 69 | Vitamin A | P,S,T | Capsule 100000 IU |
| 70 | | | Oral liquid 100000 IU/ml |
| Oxytocics and Antioxytocics | | | |
| 71 | Mifepristone | T | Tablet 200 mg |
| 72 | Misoprostol | T | Tablet 100 mcg |
| 73 | | | Tablet 200 mcg |
| 74 | Oxytocin | S,T | Injection 5 IU/ml |
| Hormones/Contraceptives | | | |
| 75 | Combined oral contraceptive | P,S,T | |
| 76 | Progesterone only pill | P,S,T | |
| 77 | Centchroman-Chhaya | P,S,T | |
| 78 | Emergency contraceptive pill | P,S,T | |
| 79 | DMPA(Depot Medrony Progesterone Acetate) | S,T | Injection |
| 80 | IUD containing Copper | P,S,T | As licensed |
| 81 | Condom | P,S,T | As per the standards prescribed in Schedule R of Drugs and Cosmetics rules, 1945 |

ESSENTIAL DRUGS FOR SUB CENTRE, NHM, MIZORAM

| SL. NO | NAME OF DRUG | LEVEL OF CARE IN NELM | DOSAGE TYPE |
|--|--|-----------------------|---|
| Local Anaesthetics | | | |
| 1 | Lignocaine | P,S,T | Injection 2% |
| Analgesics, antipyretics, non-steroidal anti inflammatory medicines | | | |
| 2 | Diclofenac | P,S,T | Tablet 50mg |
| 3 | | | Injection 25mg/ml |
| 4 | Paracetamol | P,S,T | Syrup 125mg/ml |
| Antiallergic and medicines used in anaphylaxis | | | |
| 5 | Cetirizine | P,S,T | Tablet 10mg |
| 6 | Cetirizine | P,S,T | Oral liquid 5mg/5ml |
| Intestinal Antihelminthics | | | |
| 7 | Albendazole | P,S,T | Tablet 400mg |
| 8 | | | Suspension 200mg/ml in 10ml bottle |
| Antibacterial | | | |
| 9 | Amoxicillin | P,S,T | Capsule 250mg |
| 10 | | | Capsule 500mg |
| 11 | | | Oral liquid 250mg/5ml |
| Antimalarial drugs | | | |
| 12 | ACT-AL | P,S,T | 6 months-3 years |
| 13 | | | 3 years-8 years |
| 14 | | | 9 years -14 years |
| 15 | | | 14 years and above |
| 16 | Chloroquin | P,S,T | Tablet 150mg |
| 17 | | | Oral liquid 50mg/5ml |
| 18 | Primaquin | P,S,T | Tablet 2.5mg |
| 19 | | | Tablet 7.5mg |
| 20 | Quinine | P,S,T | Tablet 300mg |
| Antianaemia medicines | | | |
| 21 | Ferrous salt (A)+Folic acid (B) | P,S,T | Tablet 100mg elemental iron (A)+500mcg (B) |
| 22 | Folic acid | P,S,T | Tablet 5mg |
| Disinfectants and antiseptics | | | |
| 23 | Ethyl alcohol (denatured) | P,S,T | Solution 70% |
| 24 | Methylrosanilinium Chloride (Gentic Violet) | P,S,T | Topical preparation 1% |
| 25 | Povidone Iodine | P,S,T | Solution 10% |
| 26 | Bleaching Powder | P,S,T | Containing not less than 30% w/w of available chlorine (as per I.P) |
| Gastrointestinal medicines | | | |

| | | | |
|------------------------------------|------------------------------|-------|--|
| 27 | Oral rehydration salts | P,S,T | As licensed |
| 28 | Zinc sulphate | P,S,T | Dispersible tablet 20mg |
| Anti infective medicines | | | |
| 29 | Ciprofloxacin | P,S,T | Ointment 0.3% |
| Oxytotics and Antioxytotics | | | |
| 30 | Methylergometrine | P,S,T | Tablet 0.125mg |
| Vitamins and minerals | | | |
| 31 | Vitamin A | P,S,T | Capsule 5000 IU |
| 32 | | | Capsule 10000IU |
| Hormones/Contraceptives | | | |
| 33 | Combined oral contraceptive | P,S,T | |
| 34 | Progesterone only pill | P,S,T | |
| 35 | Centchroman-Chhaya | P,S,T | |
| 36 | Emergency contraceptive pill | P,S,T | |
| 37 | IUD containing Copper | P,S,T | As licensed |
| 38 | Condom | P,S,T | As per the standards prescribed in Schedule R of Drugs and Cosmetics rules, 1945 |